

PRODUCT CATALOGUE







David Mosimann founded Bien-Air in 1959. His son, Vincent, currently presides over the Bien-Air Medical Technologies group.

BIEN-AIR

CREATOR OF EXCELLENCE SINCE 1959


OSSEODUO

The multifunction control unit for highly specialised ENT surgeons









2014

Bien-Air reinvent the handpiece, revolutionary design and state-of-the-art technology



1959

The Bien-Air adventure begins in Neuchâtel



1981

BLACK PEDAL First electric drill for ear surgery

Offering the best instruments to simplify the work renowned Watch Valley. Bien-Air supplies the of practitioners and constantly improve patient highest quality products, which can only be guarcomfort has been Bien-Air's mission since its anteed by using the very best technologies and creation in 1959.

With over 50 years' experience in ENT surgery Bien-Air is a human-scale family business. and dentistry, Bien-Air has won global recognition
Its close relationships with its customers and

Ergonomics, precision and reliability are at the attention. core of the development of every new product. Constantly in tune with the day-to-day require- Our promise is to continue our innovative constantly setting the bar higher. A true culture Making your work easier, every day. of excellence, which fits perfectly with the tradition of Swiss-Made products from the


manufacturing processes.

for the excellence and reliability of its products. partners are one of its most valuable assets. This is why every individual receives personalised

ments of practitioners, Bien-Air has moved approach in order to provide you with the most beyond its previous innovation boundaries, advanced, reliable instruments and solutions.




CONTENTS




Instruments to match your expertise! The new generation of Bien-Air PM2 handpieces


gives you the perfect combination of revolutionary design and state-of-the-art technology. For your comfort and that of your patients.



New PM2 line



Conventional instrument



PM2: REDEFINING ERGONOMICS INTERNAL IRRIGATION

and less fatigue at the end of the operation.


The new Bien-Air PM2 standard connection offers a noticeable reduction in size. The new The liquid also cools the handpiece during convenient size, high-level performance and the entire treatment process. legendary reliability that has become the hallmark of Bien-Air products.

These handpieces are up to 51% lighter and Heavy duty handpieces have a new irrigation 37% shorter than the previous generation. system inside the instrument. The connection for Comfort and handling have never been better. the irrigation hose at the base of the instrument Handling your instrument requires less effort, therefore enables the liquid to be channelled leading to greater accuracy in your movements through the interior to the nozzle at its end. This will give you a better view of the tip of your instrument.

PM2 handpieces are compatible with the new lengthy treatments requiring a high amount Bien-Air NANO, RAPIDO and BASCH-1 micro- of torque. The handpiece does not heat up, motors. These too will win you over with their remaining comfortable to handle throughout the



PM2 HANDPIECES AHEAD OF THE FIELD



The new PM2 handpieces are up to 51% LIGHTER and 37% SHORTER than conventional handpieces

PM2 handpieces allow 3 bur extension lengths




SECURE LOCKING SYSTEM

The PM2 range of burs has been specially designed to be used with PM2 handpieces and with additional retentive locking grooves micromotors at speeds of up to 80,000 rpm.

drive during heavy use. All torque is transferred while providing better visibility. for greater performance.

ADJUSTABLE BUR

The new generation of PM2 burs is fitted at its base, meaning that the bur can be extended to 3 different lengths. This gives The new triangular coupling prevents any loss of you access to the most delicate areas



OSSEOSTAP ULTRA PRECISION



The Bien-Air OSSEOSTAP is an outstanding ULTIMATE CONTROL instrument, particularly notable for its light weight, extreme precision, ease of handling and reliability
The OSSEOSTAP handpiece integrates the in all situations.

for micro-shaping during delicate stapedotomy and ossiculoplasty operations on the middle ear.

A MODEL OF FRGONOMICS

The OSSEOSTAP handpiece is a model of ergonomics. Small in size and weighing only 60 grams, it is very easy to handle. Its reinforced, The OSSEOSTAP handpiece, its motor, cable incurved front tip ensures easy access to the

The OSSEOSTAP handpiece is controlled by the OSSEODUO console or by a discreet and OSSEOSTAP. So natural, you'll soon forget it's practical battery-operated pedal.

latest Bien-Air brushless, sensorless micromotor. The OSSEOSTAP system has been designed This powerful, high-tech micromotor rotates at speeds ranging between 2,000 rpm and 12,000 rpm, smoothly and without vibrations. Its innovative design means that even the most delicate micro-shaping operations are no longer a problem. Despite their reduced size, OSSEOSTAP burs have perfect concentricity, which further enhances precision and comfort.

and tools have been designed to withstand middle ear plate while offering maximum visibility. multiple wash cycles and autoclave sterilisation

there, even though you'll find it indispensable...

REFERENCES


OSSEOSTAP* + OSSEOSTAP handpiece:

OSSEOSTAP handpiece with cable: *Each **OSSEO**STAP set comprises:

1 **OSSEO**STAP control unit: 1 set of LR6/AA Alkaline batteries: REF 1700331-001 REF 1600685-001

REF 1600686-001 REF 1304141-008

S120 ERGONOMICS AND PRECISION



10



THE S120 HANDPIECE: REDEFINING ERGONOMICS, COMFORT AND PRECISION

The S120 handpiece with integrated micromotor is notable for its light weight, extreme precision and ease of handling. With its unique ergonomics and integrated irrigation, the S120 is marked out by its exceptional ease of handling and perfect balance. It ensures high-precision operations, even in areas that are difficult to access.

Weighing only 198g, the S120 handpiece is remarkably light. You will be particularly impressed with it during lengthy procedures, and will notice a considerable reduction in fatigue.

SIMPLY EFFICIENT

a single concept: to make the instrument in progress. extremely simple to use, so that the surgeon can forget the tool and concentrate on the operation itself.

Positioning the S120's blade at the desired angle during the operation is extremely simple. It is no A wide choice of shaver blades is available for withdraw and adjust the blade. Blade positioning reusable, they will meet all your needs. is controlled by the fingertips. The self-locking system stops the blade from swivelling.

With its integrated irrigation, it is no longer sterilisation in complete safety. necessary to disconnect the irrigation line to change the blade.

The integrated irrigation channel is also an effective cooling system for the handpiece, The S120 handpiece has been designed around allowing you to concentrate fully on the operation

11

The S120 is supplied with a straight suction channel, allowing continued operation without obstruction.

longer necessary to interrupt the treatment to the S120 handpiece. Whether single use or

The handpiece and cable meet the strictest hygiene regulations, and can undergo autoclave

REFERENCES

S120 handpiece with cable: REF 1700302-001



Ultra-precision control of motors and handpieces

> High-speed shaping up to 80,000 rpm

Integrated irrigation with adjustable flow rate between 8 and 135 ml/min







Max speed: Sound level: Weight:

RAPIDO

80,000 rpm 115 g

RAPIDO MICROMOTOR For lengthy procedures requiring more power. With its remarkable torque, it even the hardest materials. Its directional self-ventilation guarantees constant perform-

RAPIDO and NANO micromotors state-of-the-art performance are compatible with the new range of Bien-Air ultra-compact PM2 handpieces.

ance and comfortable use.

NANO 80,000 rpm •00000

NANO

NANO MICROMOTOR

80 g

For delicate work. Its reduced size and weight guarantee better handling and facilitates cutting and copes with less fatigue at the end of the treatment procedure. The NANO is also notable for its extremely low sound level: it creates no more noise than a whisper. Its ultra-precise control and make it the surgeon's tool par excellence.

REFERENCES

| OSSEODUO* + S120 + RAPIDO micromotor: | REF 1700521-001 |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------|
| OSSEODUO* + S120 + NANO micromotor: | REF 1700522-001 |
| OSSEODUO* + RAPIDO micromotor: | REF 1700523-001 |
| OSSEODUO* + NANO micromotor: | REF 1700524-001 |
| OSSEODUO* + S120: | REF 1700250-001 |
| RAPIDO micromotor with cable: | REF 1700503-001 |
| RAPIDO micromotor with cable: | REF 1600895-001 |
| NANO micromotor with cable: | REF 1700501-001 |
| S120 with cable: | REF 1700302-001 |
| *Each OSSEO DUO set comprises: | |
| OSSEODUO control unit: watertight, 2-button multifunction pedal: irrigation stand: | REF 1600513-001 REF 1600517-001 REF 1500017-001 |
| 1 set of 10 irrigation lines with 2 flow-rate ranges: 1 set of 10 irrigation clips: | REF 1100037-010 REF 1302844-010 |

3 IN 1


Developed for and by working surgeons, the OSSEODUO combines state-of-the-art performance, unrivalled versatility and a huge choice of world's finest micromotors and instruments.

The OSSEODUO offers you rapid selection of 3 operating modes: shaver, drill or OSSEOSTAP (stapedotomy / ossiculoplasty).

The OSSEODUO has been designed for shaping bones and for resection of soft and hard tissues during surgical operations, particularly in the following fields:

- Ear, nose and throat surgery
- Otoneurologic surgery
- Plastic surgery
- Maxillofacial surgery, reconstruction of the face, neck, hands and feet
- Stapedotomy and ossiculoplasty

The OSSEODUO is set apart by its simplicity as well as its intuitive programming, which may be personalised if desired. You will also love its convenient size and versatility.



The entire Drill range is also compatible, as are the S120 Shaver handpiece and the OSSEOSTAP stapedotomy and ossiculoplasty handpiece.

The OSSEODUO's multifunction pedal controls the speed and rotation direction and activates irrigation.



A RATIONAL, HIGH-PERFORMANCE SOLUTION

Unobtrusive, robust and stable, the OSSEODOC is also simple to use. It has been designed for bone shaping, particularly in the following areas:

- Ear surgery
- Otoneurologic surgery
- Plastic surgery
- Maxillofacial surgery, reconstruction of the face, neck, hands and feet

The **OSSEO**DOC is the instrument of choice for the most eminent ear surgeons. Its exemplary reliability and state-of-the-art performance have made it a benchmark tool.

It has buttons for selecting 4 motor speed ranges, direction of rotation, 2 irrigation options and 4 peristaltic pump delivery rates. All functions are also available on the pedal.

Indicator lamps and audible signals indicate the functions that have been activated.

OSSEODOC COMPACT AND POWERFUL



BASCH-1: GUARANTEED POWER

With its BASCH-1 motor and one of the many designed to withstand Bien-Air PM2 handpieces, this is a powerful and repeated machine balanced assembly. It offers precise, smooth torque control.

It copes with even the hardest of materials. pieces. Its directional self-ventilation guarantees constant performance and ease of use.

The BASCH-1 and its cable have been washing and sterilization in autoclave.

The dedicated BASCH-1 motor creates high The BASCH-1 micromotor is compatible with the torque and a maximum speed of 40,000 rpm. Bien-Air PM2 range of ultra-compact hand-



REF 1300064-010

REFERENCES

1 set of 10 irrigation clips:

| OSSEODOC* with pump + BASCH-1 mircromotor: | REF 1700525-001 |
|--------------------------------------------------------|-----------------|
| BASCH-1 micromotor with cable: | REF 1700502-001 |
| BASCH-1 micromotor without cable: | REF 1600884-001 |
| *Each OSSEODOC set comprises: | |
| 1 OSSEODOC control unit: | REF 1600331-001 |
| 1 watertight pedal with 2-buttons, multifonction: | REF 1600407-001 |
| 1 irrigation stand: | REF 1500017-001 |
| 1 set of 10 irrigation lines with 2 flow rate changes: | REF 1100037-010 |
| | |

OSSEOUNO FOR NOSE SPECIALISTS

COMFORT AND PRECISION

state-of-the-art performance along with reduced size. The OSSEOUNO has been designed for The S120 handpiece with integrated micromotor bone shaping and resection of soft and hard is notable for its light weight, extreme precision tissues during nose and throat surgery.

can be viewed and accessed by simply pressing be controlled in continuous rotation mode or oscillating rotation mode. You have a choice of Weighing only 198g, the S120 handpiece is of the handpiece's integrated motor, up to notice a considerable reduction in fatigue. 8,000 rpm.

The OSSEOUNO is fitted with an integrated peristaltic pump. The pump delivery is easily adjustable from 15 to 130 ml/min, by pressing

THE S120 HANDPIECE: REDEFINING ERGONOMICS, The Bien-Air OSSEOUNO Shaver system offers PRECISION AND RELIABILITY

and ease of handling. With its unique ergonomics and integrated irrigation, the S120 stands All the OSSEOUNO control system functions out by its exceptional ease of handling and perfect balance. It ensures high-precision operathe keys or the pedal. The micromotor can tions, even in areas that are difficult to access.

5 speed ranges. The OSSEOUNO therefore remarkably light. You will be particularly impresoffers highly precise control of the rotation speed sed with it during lengthy procedures, and will



SIMPLY FEFICIENT

Positioning the S120's blade at the desired angle is extremely simple. It is no longer necessary to blade. The blade position is controlled by the micromotors have achieved worldwide. fingertips during the operation.

necessary to disconnect the irrigation line to change the blade. This lets you fully concentrate on the operation in progress.

The latest generation micromotor integrated into the S120 handpiece reaches a maximum speed of 8,000 rpm. It has established itself as a benchmark in terms of performance and precision, fully interrupt the treatment to withdraw and adjust the justifying the reputation for excellence that Bien-Air

You'll be impressed with the OSSEOUNO With its integrated irrigation, it is no longer system, complete with S120 handpiece: it is easy to use and offers a high level of performance as well as the legendary reliability that has become the hallmark of all Bien-Air products.

REFERENCES

| OSSEOUNO* with pump + S120: | REF 1700300-001 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| S120 handpiece with cable: | REF 1700302-001 |
| *Each OSSEOUNO set comprises: 1 OSSEOUNO control unit: 1 watertight pedal with 2-buttons, multifonction: 1 irrigation stand: 1 set of 10 irrigation lines with 2 flow rate changes: 1 set of 10 irrigation clips: | REF 1600628-001 REF 1600407-001 REF 1500017-001 REF 1100037-010 REF 1302844-010 |
| | |

PM2 50K* BURS RANGE

(maximum usable speed for the bur: 50,000 rpm)



| | STAINLESS STEEL Non sterile - 1 pce / box | Sterile - 5 pces / box | 0 | DIAMOND Non sterile - 1 pce / box | O - | COARSE DIAMOND Non sterile - 1 pce / box |
|------|--------------------------------------------|------------------------|------|------------------------------------------|------------|------------------------------------------|
| ø mm | Reusable | Single use | ø mm | Reusable | ø mm | Reusable |
| 0.6 | 1100290-001 | 1100416-005 | 0.6 | 1100247-001 | 2.3 | 1100304-001 |
| 0.8 | 1100291-001 | 1100417-005 | 0.8 | 1100248-001 | 2.7 | 1100305-001 |
| 1.0 | 1100292-001 | 1100418-005 | 1.0 | 1100249-001 | 3.1 | 1100306-001 |
| 1.4 | 1100293-001 | 1100419-005 | 1.4 | 1100250-001 | 3.5 | 1100307-001 |
| 1.8 | 1100294-001 | 1100420-005 | 1.8 | 1100251-001 | 4.0 | 1100433-001 |
| 2.3 | 1100295-001 | 1100421-005 | 2.3 | 1100252-001 | 4.5 | 1100434-001 |
| 2.7 | 1100296-001 | 1100422-005 | 2.7 | 1100253-001 | 5.0 | 1100435-001 |
| 3.1 | 1100297-001 | 1100423-005 | 3.1 | 1100254-001 | 6.0 | 1100436-001 |
| 3.5 | 1100298-001 | 1100424-005 | 3.5 | 1100255-001 | 7.0 | 1100437-001 |
| 4.0 | 1100299-001 | 1100425-005 | 4.0 | 1100256-001 | | |
| 4.5 | 1100300-001 | 1100426-005 | 4.5 | 1100257-001 | | |
| 5.0 | 1100301-001 | 1100427-005 | 5.0 | 1100258-001 | | |
| 6.0 | 1100302-001 | 1100428-005 | 6.0 | 1100259-001 | | |
| 7.0 | 1100303-001 | 1100429-005 | 7.0 | 1100260-001 | | |

| | CARBIDE BURS | | | | | |
|------|---------------------------|--|--|--|--|--|
| | Non sterile - 1 pce / box | | | | | |
| ø mm | Reusable | | | | | |
| 0.5 | 1100261-001 | | | | | |
| 0.8 | 1100262-001 | | | | | |
| 1.0 | 1100263-001 | | | | | |
| 1.4 | 1100264-001 | | | | | |
| 1.8 | 1100265-001 | | | | | |
| 2.3 | 1100266-001 | | | | | |
| 2.7 | 1100267-001 | | | | | |
| 3.1 | 1100268-001 | | | | | |
| 3.5 | 1100269-001 | | | | | |
| 4.0 | 1100270-001 | | | | | |
| 4.5 | 1100271-001 | | | | | |
| 5.0 | 1100272-001 | | | | | |
| 6.0 | 1100273-001 | | | | | |
| 7.0 | 1100274-001 | | | | | |

| | | CROSSCUT BURS | | CONICAL CARBIDE BI | JRS |
|---|------|---------------------------|------|---------------------------|-----|
| X | | Non sterile - 1 pce / box | | Non sterile - 1 pce / box | Ste |
| | ø mm | Reusable | ø mm | Reusable | |
| | 1.4 | 1100438-001 | 6.0 | 1100275-001 | |
| | 2.3 | 1100439-001 | 7.0 | 1100276-001 | |
| | 3.1 | 1100440-001 | | | |
| | 4.0 | 1100441-001 | | | |
| | 5.0 | 1100442-001 | | | |
| | 6.0 | 1100443-001 | | | |
| | | | | | |

| 100000 | | |
|--------|---------------------------|-----------------------|
| | Non sterile - 1 pce / box | Sterile - 1 pce / box |
| ø mm | Reusable | Single use |
| 6.0 | 1100275-001 | 1100430-001 |
| 7.0 | 1100276-001 | 1100431-001 |
| | | |



| | DIAMOND BURS | | | | | |
|------|---------------------------|--|--|--|--|--|
| | DIAMOND BURS | | | | | |
| | Non sterile - 1 pce / box | | | | | |
| ø mm | Reusable | | | | | |
| 0.6 | 1100389-001 | | | | | |
| 0.8 | 1100390-001 | | | | | |
| 1.0 | 1100391-001 | | | | | |
| 1.4 | 1100469-001 | | | | | |
| 1.8 | 1100470-001 | | | | | |
| 2.3 | 1100471-001 | | | | | |

PM2 80K* BURS RANGE

(maximum usable speed for the bur: 80,000 rpm)



| - | STAINLESS STEEL Sterile - 5 pces / box | 0- | DIAMOND Sterile - 1 pce / box | 9 - | CARBIDE Sterile - 1 pce / box | - | FULL CARBIDE Sterile - 1 pce / box |
|------|----------------------------------------|------|-------------------------------|------------|-------------------------------|----------|------------------------------------|
| ø mm | Single use | ø mm | Single use | ø mm | Single use | ø mm | Single use |
| 0.6 | 1100351-005 | 0.6 | 1100365-001 | 0.5 | 1100392-001 | 0.5 | 1100475-001 |
| 0.8 | 1100352-005 | 0.8 | 1100366-001 | 0.8 | 1100393-001 | 1.0 | 1100462-001 |
| 1.0 | 1100353-005 | 1.0 | 1100367-001 | 1.0 | 1100394-001 | 1.5 | 1100463-001 |
| 1.4 | 1100354-005 | 1.4 | 1100368-001 | 1.4 | 1100395-001 | 2.0 | 1100464-001 |
| 1.8 | 1100355-005 | 1.8 | 1100369-001 | 1.8 | 1100396-001 | 2.3 | 1100465-001 |
| 2.3 | 1100356-005 | 2.3 | 1100370-001 | 2.3 | 1100397-001 | 3.0 | 1100466-001 |
| 2.7 | 1100357-005 | 2.7 | 1100371-001 | 2.7 | 1100398-001 | 3.5 | 1100483-001 |
| 3.1 | 1100358-005 | 3.1 | 1100372-001 | 3.1 | 1100399-001 | 4.0 | 1100467-001 |
| 3.5 | 1100359-005 | 3.5 | 1100373-001 | 3.5 | 1100400-001 | 4.5 | 1100484-001 |
| 4.0 | 1100360-005 | 4.0 | 1100374-001 | 4.0 | 1100401-001 | 5.0 | 1100476-001 |
| 4.5 | 1100361-005 | 4.5 | 1100375-001 | 4.5 | 1100402-001 | 6.0 | 1100468-001 |
| 5.0 | 1100362-005 | 5.0 | 1100376-001 | 5.0 | 1100403-001 | 7.0 | 1100477-001 |
| 6.0 | 1100363-005 | 6.0 | 1100377-001 | 6.0 | 1100404-001 | | |
| 7.0 | 1100364-005 | 7.0 | 1100378-001 | 7.0 | 1100405-001 | | |





| - | STAINLESS STEEL | 0- | DIAMOND | 0- | COARSE DIAMOND | © - | EXTRA COARSE DIAMOND |
|----------|-----------------------|------|-----------------------|------|-----------------------|------------|-------------------------|
| | Sterile - 1 pce / box | | Sterile - 1 pce / box | | Sterile - 1 pce / box | | Sterile - 1 pce / box |
| ø mm | Single use | ø mm | Single use | ø mm | Single use | ø mm | Single use |
| 1.0 | 1100446-001 | 1.0 | 1100320-001 | 3.1 | 1100325-001 | 3.8 | 1100444-001 |
| 1.8 | 1100447-001 | 1.8 | 1100321-001 | 4.0 | 1100326-001 | 4.7 | 1100445-001 |
| 2.3 | 1100448-001 | 2.3 | 1100322-001 | 5.0 | 1100327-001 | 6.0 | 1100490-001 |
| 3.1 | 1100449-001 | 3.1 | 1100323-001 | 6.0 | 1100328-001 | | D. |
| 4.0 | 1100450-001 | 4.0 | 1100324-001 | | | | |
| 5.0 | 1100451-001 | | | | | | |
| 6.0 | 1100452-001 | | | | | | |
| | | | | | į. | | • 125 MM |

| - | STAINLESS STEEL Sterile - 1 pce / box | 0- | DIAMOND Sterile - 1 pce / box | 0- | COARSE DIAMOND Sterile - 1 pce / box | 0- | EXTRA COARSE DIAMOND Sterile – 1 pce / box |
|----------|----------------------------------------|------|-------------------------------|------|--------------------------------------|------|--------------------------------------------------|
| ø mm | Single use | ø mm | Single use | ø mm | Single use | ø mm | Single use |
| 1.8 | 1100453-001 | 1.0 | 1100308-001 | 3.1 | 1100313-001 | 3.8 | 1100316-001 |
| 2.3 | 1100454-001 | 1.8 | 1100309-001 | 4.0 | 1100314-001 | 4.7 | 1100317-001 |
| 3.1 | 1100455-001 | 2.3 | 1100310-001 | 5.0 | 1100315-001 | 6.0 | 1100491-001 |
| 4.0 | 1100456-001 | 3.1 | 1100311-001 | | | | |
| 5.0 | 1100457-001 | 4.0 | 1100312-001 | | | | |
| 6.0 | 1100458-001 | | | | | | |

SINGLE USE STRAIGHT SHAVER BLADES

| | Double serrated | Single serrated | Smooth |
|------|-----------------|-----------------|-----------------|
| Ø mm | 5 pces / box | 5 pces / box | 5 pces / box |
| 3.0 | REF 1600538-005 | REF 1600541-005 | REF 1600544-005 |
| 3.5 | REF 1600539-005 | REF 1600542-005 | REF 1600545-005 |
| 4.0 | REF 1600540-005 | REF 1600543-005 | REF 1600546-005 |

Usable length 110 mm



REUSABLE STRAIGHT SHAVER BLADES

| | Double serrated |
|------|-----------------|
| Ø mm | 1 pce / box |
| 3.0 | REF 1600579-001 |
| 3.5 | REF 1600580-001 |
| 4.0 | REF 1600581-001 |

Usable length 110 mm - Can be dismantled for optimal cleaning



15°- SINGLE USE CURVED SHAVER BLADES - DOUBLE SERRATED

| | Concave | Convex |
|-----|-----------------|-----------------|
| Ømm | 5 pces / box | 5 pces / box |
| 4.0 | REF 1600570-005 | REF 1600571-005 |

Usable length 110 mm



40° - SINGLE USE CURVED SHAVER BLADES - DOUBLE SERRATED

| | Concave | Convex |
|----------------------|-----------------|-----------------|
| Ø mm | 5 pces / box | 5 pces / box |
| 3.0 | REF 1600548-005 | - |
| 4.0 | REF 1600550-005 | REF 1600559-005 |
| Usable length 110 mm | | |



60° - SINGLE USE CURVED SHAVER BLADES - DOUBLE SERRATED

| | Concave | Convex |
|----------------------|-----------------|-----------------|
| Ømm | 5 pces / box | 5 pces / box |
| 3.0 | REF 1600573-005 | = |
| 4.0 | REF 1600574-005 | REF 1600575-005 |
| Usable length 110 mm | | |



Double serrated









BUR SHAVER BLADES



15°- SINGLE USE CURVED STAINLESS STEEL DCR SHAVER BLADE

Cutting bur: Ø 3.0 mm / External tube: Ø 3.5 mm 3 pces / box REF 1600577-003 Usable length 110 mm





Cutting bur: Ø 3.0 mm / External tube: Ø 3.5 mm 3 pces / box

> REF 1600576-003 Usable length 120 mm



ADENOID SHAVER BLADES





40°- SINGLE USE CURVED ADENOID SHAVER BLADE

Double serrated Convex window orientation External tube: Ø 4.0 mm 5 pces / box REF 1600572-005 Usable length:120 mm

LARYNGEAL SHAVER BLADES



Usable length 270 mm: REF 1600569-001



Sien Air os

Bien Air

OSSEOSIAP

OSSEOSTAP BURS



OSSEOSTAP CARBIDE BURS

| | 1 pce / box sterile | Color coding | |
|------|---------------------|--------------|--|
| ø mm | REF | | |
| 0.5 | REF 1501222-001 | Violet | |
| 0.6 | REF 1501223-001 | Blue | |
| 0.7 | REF 1501224-001 | Green | |
| 0.8 | REF 1501225-001 | Yellow | |
| 1.0 | REF 1501226-001 | Orange | |
| 1.4 | REF 1501227-001 | Grey | |
| 1.8 | REF 1501228-001 | Brown | |
| 2.3 | REF 1501229-001 | Red | |

OSSEOSTAP DIAMOND BURS

| | 1 pce / box sterile | Color | |
|------|---------------------|--------|--|
| ø mm | REF | | |
| 0.6 | REF 1501230-001 | Blue | |
| 0.7 | REF 1501231-001 | Green | |
| 0.8 | REF 1501232-001 | Yellow | |
| 1.0 | REF 1501233-001 | Orange | |
| 1.2 | REF 1501428-001 | Black | |
| 1.4 | REF 1501234-001 | Grey | |
| 1.8 | REF 1501235-001 | Brown | |
| 2.3 | REF 1501236-001 | Red | |

OSSEOSTAP STAINLESS STEEL PERFORATOR

| | 1 pce / box sterile | Color | |
|------|---------------------|-------|--|
| ø mm | REF | | |
| 0.35 | REF 1501240-001 | Black | |



Sterilization bur color coding table 5 pces / box
REF 1304358-005

ACCESSORIES



CLEANING

| Aquacare – 6 pces / box | Cleaning brush for shaver handpiece – 10 pces / box |
|---------------------------|-----------------------------------------------------|
| REF 1600617-006 | REF 1303678-010 |
| Lubrifluid – 6 pces / box | |

STERILIZATION TRAY

REF 1600064-006

| Microsaws sterilization tray | Sterilization tray for E-type instruments |
|--------------------------------------------------------------------|-------------------------------------------|
| 400 x 50 x 250 mm (LxHxW) | 400 x 60 x 250 mm (LxHxW) |
| REF 1700441-001 | REF 1600477-001 |
| S80 / S120 sterilization tray | OSSEOSTAP sterilization tray |
| 250 x 50 x 250 mm (LxHxW) | 250 x 50 x 250 mm (LxHxW) |
| REF 1600828-001 | REF 1600669-001 |
| Sterilization tray for PM2 instruments 400 x 65 x 250 mm (LxHxW) | Bur holder for 16 tools, sterilizable |
| REF 1600948-001 | REF 1600306-001 |
| | |

IRRIGATION ACCESSORIES

| Irrigation lines – 10 pces / box | |
|-------------------------------------------------------------------------------------------|---------|
| REF 1100037-010 | |
| Clips for irrigation and succion lines on S80 / S120 / 80K / NANO / RAPIDO - 10 pces / | box box |
| REF 1302844-010 | |

Clips for irrigation on

BASCH and BASCH-1 – 10 pces / box

REF 1300064-010



23

- R Bien-Air Surgery SA Rue de l'Ouest 2b CH-2340 Le Noirmont Switzerland Tel. +41(0)32 344 64 40 Fax +41(0)32 344 64 45 surgery@bienair.com
 - R Bien-Air Deutschland GmbH Surgery Jechtinger Strasse 11 79111 Freiburg, Deutschland Tel. +49 (0)761 45 57 40 Fax +49 (0)761 47 47 28 ba-d@bienair.com
- S R Bien-Air España S.A.U. Surgery Entença, 169 Bajos 08029 Barcelona, España Tel. (+34) 934 25 30 40 Fax (+34) 934 23 98 60 ba-e@bienair.com
- S R Bien-Air USA, Inc.
 Medical Technologies
 5 Corporate Park
 Suite 160
 Irvine, CA 92606, USA
 Phone 1-800-433-BIEN
 Phone 949-477-6050
 Fax 949-477-6051
 ba-usa@bienair.com
- S R Bien-Air France Sarl Surgery 19-21, Rue du 8 mai 1945 94113 Arceuil, France Tel. +33 (0)1 49 08 02 60 Fax +33 (0)1 46 64 86 58 ba-f@bienair.com

- R Bien-Air Italia s.r.l. Surgery Via Vaina 3 20122 Milano, Italia Tel. +39 (02) 58 32 12 51/52/54 Fax+39 (02) 58 32 12 53 ba-i@bienair.com
- R Bien-Air UK Ltd
 Arundel House / Unit 1 Ground Floor
 Amberley Court / Whitworth Road
 Crawley, West Sussex
 RH11 7XL, England
 Tel. +44 (0)1293 550200
 Fax+44 (0)1293 520481
 ba-uk@bienair.com
- R Bien-Air Asia Ltd. Surgery Nishi-Ikebukuro Daiichi-Seimei Bldg. 10F 2-40-12 Ikebukuro, Toshimaku Tokyo, 171-0014, Japan ビエン・エア・アジア株式会社 〒171-0014 東京都豊島区池袋2-40-12 西池袋第一生命ビルディング10F Tel.+81 (3) 5954-7661 Fax+81 (3) 5954-7660 ba-asia@bienair.com
- S = Sales R = Repair

The descriptions and technical data appearing in the present document are given as an indication and are not binding. They may not give rise to any claim. Ben-Air reserves the right to make changes without prior notice.