

# CAVI-T



## The universal intranasal balloon


A novel approach for an atraumatic management of intranasal bleeding




CAVI-T® : the alternative to nasal tampons




# A unique and ergonomic design



## Easy positioning in 3 steps



## Rapid control of bleeding and easy removal



# CAVI-T<sup>®</sup> advantages

## Advantages for healthcare professionals

- Treatment of anterior and posterior bleeding
- Low pressure balloon allowing optimal conformation to the anatomy
- Easy insertion with alignment markers for guided and controlled positioning
- Rapid control of bleeding (90% of patients at 1h)<sup>(1)</sup>
- Homogenous compression of the nasal cavity allowing the reduction of blood secretions
- Functions in complex cases (e.g. elderly coagulopathic population)
- Designed to promote ambulatory care
- Potential to reduce readmission rates
- Distancing between the patient and healthcare professional






## Advantages for patients

### Quality of life improvement:

- Reduced pain upon removal (1.6 / 10 on VAS\*)<sup>(1)</sup>
- Breathing channel
- Visually discreet product
- Rapid return to daily life activities
- Removal by a home-care nurse

(1) Pilot clinical trial of an asymmetrical balloon (CAVI-T<sup>™</sup>) in the treatment of intranasal bleeding in adult patients managed in an emergency setting. C Debry et al. Manuscript submitted to Rhinology Online on May 4th, 2020.

\* VAS = Visual Analogue Scale

					
Physiological compression (ergonomic design, suitable for challenging patients (e.g. coagulopathic))	✓	✗	✗	✗	✗
Ease of use	✓	✓	✗	✓	✗
Single reference for both anterior and posterior bleeding	✓	✗	✗	✗ <sup>(*)</sup>	✗
Breathing channel	✓	✗	✗	✓ <sup>(**)</sup>	✓
Visually discreet	✓	✓	✓	✓	✗

(\*) Only RR 900 is indicated for posterior bleeding

(\*\*) Only for RR 551, RR 553, RR 751 et RR 753


## CAVI-T<sup>®</sup> in brief :



A uniquely designed, low pressure balloon, discreet and respectful of patient anatomy, indicated for treatment of anterior and posterior bleeding



Arrest of bleeding in 90% of patients at 1h<sup>(1)</sup>



Preservation of patient-healthcare professional distancing



Minor pain upon removal (1.6 / 10 on VAS\*)



Ease of patient management including complicated cases (e.g. coagulopathic)



Suitable for ambulatory care. Potential to reduce readmission rates



Can be removed by a home-care nurse

(1) Pilot clinical trial of an asymmetrical balloon (CAVI-T<sup>™</sup>) in the treatment of intranasal bleeding in adult patients managed in an emergency setting. C Debry et al. Manuscript submitted to Rhinology Online on May 4th, 2020.

\* VAS = Visual Analogue Scale

With patient at the core of dianosic priorities, each healthcare professional willing to use CAVI-T<sup>®</sup> will benefit from ad-hoc training. Our digital training and virtual reality tools offer a remote and personalized support

Product reference	
CAVI-T asymmetric balloon (box of 10)	DBA01D

dianosic

8 place de l'Hôpital - Bâtiment pH8

67000 Strasbourg - FRANCE

[www.dianosic.com](http://www.dianosic.com)

[contact@dianosic.com](mailto:contact@dianosic.com)

+33 6 48 03 53 08