

GREINER

Farbmusterkarte 2012

colour pattern card

airpor

ethnic

compact

komfort

de en

made in Germany

made in Germany



## Material

Kombination einer schaumweichen, abriebfesten Kunststoffbeschichtung auf hochwertigem, dehnbaren Trikotgewebe

## Eigenschaften

Schwer entflammbar, langlebig, lichtecht, abriebfest, reißfest, pflegeleicht, Desinfektionsmittelbeständig.

## Reinigung

Für dauerhafte Freude an ihrem Material bitte regelmäßig reinigen. Verschmutzungen durch Öle, Fette, Tinte, Blut, Urin und organische Säuren müssen umgehend entfernt werden. Verwenden Sie hierzu lauwarmes Wasser oder eine warme, milde Seifenlauge und ein feuchtes Microfasertuch. Bitte keine Lösemittel, Chloride, Poliermittel, chem. Reinigungsmittel oder Wachspoliermittel einsetzen. Vermeiden Sie den Kontakt mit farbmittelhaltigen oder jodhaltigen Hautdesinfektionsmitteln, Kontrastmitteln, Elektrodengel, etc.. Bitte beachten Sie, dass Anfärbungen durch Jeans oder andere Textilien von jeglicher Herstellergarantie ausgenommen sind.

## Desinfektion

Zur Wischdesinfektion mit Flächendesinfektionsmittel geeignet.

## Flammfestigkeit / Sonstige Hinweise

**airpor:** MVSS 302, DIN 75200

**compact:** MVSS 302, EN 1021-1+2

**komfort:** NF M2, BS5852 IS 0+1, EN1021-1+2, MVSS302, DIN53438 (Teil 2), DIN4102 (Teil 1, B2), UNI 9175-1 IM, ÖS B3825, ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)

**ethnic:** DIN4102 Teil 1 Baustoffklasse B1, NF M1, BS5852 IS-0+1+5, EN1021, DIN4102 (Teil 1, B2), MVSS302, DIN53438 (Teil 2), ÖNORM B3825 schwer brennbar (B1), ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)

## material

Combination of a smooth and abrasion-resistant plastic-coating and a stretchable premium tricot tissue.

## characteristics

Flame resistant, durable, light-fast, abrasion-resistant, tearproof, easy to clean, resistant to disinfectants.

## cleaning

For durable joy with this material, please clean regularly. Stain caused by oil, fat, ink, blood, urine or organic acid must be removed immediately. Clean with lukewarm water or a warm and mild soap sud and a microfiber cloth. Please do not use solvents, chloride, abrasive, chemical cleaning agents or wax polishes. Avoid any contact with disinfectants containing iodine or colorant, contrast medium, electrode gel, etc. Please note that colorings caused by jeans or other textiles are excluded from any manufacturer's guarantee.

## disinfection

Appropriate for surface disinfection.

## flame resistance / miscellaneous

**airpor:** MVSS 302, DIN 75200

**compact:** MVSS 302, EN 1021-1+2


**komfort:** NF M2, BS5852 IS 0+1, EN1021-1+2, MVSS302, DIN53438 (part 2), DIN4102 (part 1, B2), UNI 9175-1 IM, ÖS B3825, ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)

**ethnic:** DIN4102 part 1 Baustoffklasse B1, NF M1, BS5852 IS-0+1+5, EN1021, DIN4102 (part 1, B2), MVSS302, DIN53438 (part 2), ÖNORM B3825 flame resistant (B1), ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)



airpor

ethnic



E890



A88



A428



E850



E770



A87



A56



E310



E520



A342



A709



E320



E660



A27



A633



E340



E730



A211



A15



E230



E10

# pattern card

# komfort

compact



C811



C213



C700



C422



K436



C830



C214



C706




C450




K510



K815



C350



C220



C711




C435



K215




C390



C470




C715



C530



K720




C360



C480



C111



C637



K115