

SINGLE USE INSTRUMENTS



THE PROFESSIONAL RANGE



The problem: Debris found inside a reusable suction tube *after* cleaning and sterilization



The solution: Single use suction tubes

GUARANTEED CLEAN

All cannulated instruments are manufactured in UK clean rooms using processes that ensure internal lumens are guaranteed clean and sterile to eliminate the risk of contamination from manufacturing debris

Every instrument is delivered to you in individual sterile pouches for immediate use in the sterile field

CUSTOMER FOCUS

Meeting customer needs is at the heart of the company. Customer demand has driven the development of the extensive PROFESSIONAL range of suction tubes and other devices for many areas of surgery

SUSL's friendly customer service team is always happy to work with you to find the right instrument to meet your requirements

SUPERIOR QUALITY

Single Use Surgical strongly believes in value for money; it supplies the highest quality single use devices at competitive prices

All products comply with industry standards as well as the exacting standards of professionals

COST EFFECTIVE

When reusable instruments cannot be guaranteed clean, or are being lost, damaged and frequently replaced, single use instruments are a convenient cost effective option

CONTENTS

Suctions	04-26	Needles	27
Suction Design	04	Aspiration Needles	27
Suction Size Chart	05	Spinal Needle	27
Polished Suctions	06	Spackman Cannula	28
Rounded Suctions	07	Suction Irrigator	29
Fenestrated Suctions	08	Tibbs Cannula	30
Fenestrated & Rounded Suctions	09	Cannula	30
Long Suctions	10-11	Phlebectomy Instruments	31
Teardrop Suctions	12	Vein Hooks	31
Fine Suctions	13	Mosquito Forceps	31
Soft Tip Suction	13	Kerrisons	32
Nerve Root Retractor Suction	14	Index by Product Reference	33-34
Dandy Cannula	14	Packaging Symbols	35
Spinal Dissector Suction	15		
Micro Neuro Suction	15		
FESS Suctions	16		
Schuknechts	17		
Nasal Aspirating Dissector	17		
Sheffield Clip	18		
Sinus Trocar Cannula	18		
Laser Suctions	19		
Rounded Fenestrated Suction	20		
Weir Suction	20		
Insulated Suctions	21		
Suction Tubing	21		
Diathermy Suctions	22-23		
Curved Suction	24		
Cardiac Suction	24		
Sigmoidoscope Suction	25		
Poole Suction	26		
Aspiration Tube	26		

STANDARD SUCTION DESIGN

EXTENSIVE RANGE

The PROFESSIONAL range of suctions offers an extensive choice of length, lumen size and tip finish to enable you to find the right match for procedure, patient and surgeon

Unless specified all suctions have a 30 degree bend angle to optimise visibility


ERGONOMIC HANDLE

A unique handle design provides optimum ergonomics with slim, smooth contours for comfort and improved visibility. Engineered to prevent blocking



CONTROL HOLE

The suction control hole allows fine manipulation of suction with minimal noise

Ref.	Description
a	Bend angle
b	Lumen/Diameter
c	Working length
d	Length before the bend



Suction Size Chart






Length	Polished Tip				Rounded Tip				Fenestrated Tip			Rounded & Fenestrated Tip			
	6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm	15fg ~ 5mm	6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm		6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm	6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm	
5/6 cm	6fgN100	9fgN100					S236		S086	S087	S160				
7 cm					S102	S103									
9 cm	6fgN140	9fgN140	S034	S340	S037	S014	S104		S002	S060		S091	S092	S093	
13 cm	S077	S076	S074	S390	S095	S096	S133		S055	S001	S042	S071	S094	S343	
15 cm	S005														
17 cm	S396		S199									S120	S075		
20 cm	S031	S024	S021	S265	S156	S319	S318								
27 cm	S020	S011			S185	S182									
35 cm	S036				S187				S284						
40 cm			S109				S329								
45 cm	S258	S015				S183									
50 cm			S132												
55 cm	S111				S038				S184						

Polished Tips

All suctions have smooth polished tips

For rounded and fenestrated tips, please see pages 7-9








	Description	Length	Lumen	Ref.
	Zoellner	5.5cm	6fg	6fgN100
	Mastoid	5.5cm	9fg	9fgN100
	Frazier	9cm	6fg	6fgN140
			9fg	9fgN140
			12fg	S034
			15fg	S340
		13cm	6fg	S077
			9fg	S076
			12fg	S074
			15fg	S390
		15cm	9fg	S005
		17cm	12fg	S199
	Magill	3.5cm	6fg	6fgF140
			9fg	9fgF140

Rounded Tips

A range of suction tubes with a smooth rounded tip for atraumatic tissue contact






	Description	Length	Lumen	Ref.
	Rounded Suction	5.5cm	12fg	S236
	Rounded Frazier	7cm	6fg	S102
			9fg	S103
	Rounded Frazier	9cm	6fg	S037
			9fg	S014
			12fg	S104
	Rounded Frazier	13cm	6fg	S095
			9fg	S096
			12fg	S133
	Rounded Magill	3.5cm	9fg	S046

Fenestrated Tips

A range of suctions with fenestrated tips to disperse aspiration and prevent suction trauma






	Description	Length	Lumen	Ref.
	Fenestrated Suction	5cm	6fg	S086*
			9fg	S087
			12fg	S160
	Fenestrated Suction	9cm	6fg	S002
			9fg	S060
	Fenestrated Suction	13cm	6fg	S055
			9fg	S001
			12fg	S042

Fenestrated & Rounded Tips

Suctions that benefit from a tip that is both fenestrated and rounded




	Description	Length	Lumen	Ref.
	Fenestrated Rounded Frazier	9cm	6fg	S091
			9fg	S092
			12fg	S093
	Fenestrated Rounded Frazier	13cm	6fg	S071
			9fg	S094
			12fg	S343
	Fenestrated Rounded Suction	17cm	6fg	S120
			9fg	S075

Long Suctions

A range of long suction tubes to optimize reach and visibility during ENT procedures

- Brushed stainless steel prevents glare and reflection
- Added benefit of rounded tips for extra atraumatic tissue contact
- Strong high quality tube



Procedure recommendations

- Bronchoscopy [S187](#)
- Laryngoscopy [S182](#)
- Oesophagoscopy [S184 / S183](#)
- Microlaryngoscopy [S156 / S319](#)



Working Length	Polished Tip				Rounded Tip		
	6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm	15fg ~ 5mm	6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm
20 cm	S031	S024	S021	S265**	S156	S319	S318
27 cm	S020	S011			S185	S182	
35 cm		S036				S187	S284
40 cm			S109				S329
45 cm	S258	S015				S183	
50 cm			S132				
55 cm		S111	S038				S184

10 ** Handle does not have a control hole

Long Suctions @ 60 Degrees


- 60° Bend, provides a more acute angle than our standard suctions
- Brushed stainless steel prevents glare and reflection
- Strong high quality tube





Working Length	Polished Tip	Rounded & Fenestrated Tip	
	12fg ~ 4mm	6fg ~ 2mm	9fg ~ 3mm
20 cm		S168	S169
30 cm	S131		





Teardrop Control Suctions

- Teardrop shaped control hole for precise suction regulation
- Malleable tube gives the flexibility to adjust the angle by up to 50° for access to difficult to reach areas
- Available with a tapered tube to minimise blocking




Tapered Tube



	Description	Length	Lumen	Ref.
	Teardrop Micro Neuro 18g	7cm	18g	S191*
	Teardrop Suction 6fg 9cm Tapered	9cm	6fg	S190
	Teardrop Suction 6fg 13cm Tapered	13cm	6fg	S193*
	Teardrop Suction 9fg 9cm	9cm	9fg	S189*
	Teardrop Suction 9fg 13cm	13cm	9fg	S192*


Fine Suctions



Reference	Description	Length	Lumen
S176	Suction 3fg 8cm	8cm	3fg
S177	Suction 5fg 8cm	8cm	5fg

Soft Tip Suction

A suction with a soft silicone tip for very delicate procedures




Reference	Description	Length	Lumen
S321	Soft Tip 6fg 9cm Suction	9cm	6fg

Nerve Root Retractor Suction

A suction with a curved lip at its tip to allow simultaneous nerve retraction and aspiration

The tube is flattened for easy access to the surgical site



Reference	Description	Length
S023	Nerve Root Retractor Suction	12cm

Dandy Cannula

Ideal for ventricular localisation, catheter placement and, when used with a syringe, brain cavity fluid aspiration


Etched at approximate 1cm markings, as a guide only; this is not a calibrated instrument



Reference	Description	Length	Lumen
S022	Dandy Cannula	9cm	6fg

Spinal Dissector Suction with Flattened Tip


A straight tube finished with a flattened polished tip



Reference	Description	Length
S148	Spinal Dissector Suction Flattened Tip 12fg 13cm	13cm

Micro Neuro


The micro neuro suction has an 18g fine tip bonded into the tube



Reference	Description	Length	Lumen
S018	Micro Neuro 18g 7cm	7cm	18g

Sinus Suctions


A range of suctions with curved tips for maximum visibility and access in difficult to reach areas



	70° Curve Rounded Tip		70° Curve Ball End		90° Curve Rounded Tip		90° Curve Ball End	
	9fg ~ 3mm	12fg ~ 4mm	9fg ~ 3mm	12fg ~ 4mm	9fg ~3mm	12fg ~ 4mm	9fg ~ 3mm	12fg ~ 4mm
With Control Hole	S012	S013	S228	S229	S040	S041	S230*	S231*
No Control Hole		S163*				S164*		

Schuknechts

Schuknechts have a small tip which is bonded – for security - into the suction end to offer precise fine end aspiration



Reference	Description	Length	Lumen
S007	Schuknecht 20g	6cm	20g
S008	Schuknecht 24g	6cm	24g
S072	Schuknecht 18g	6cm	18g
S157	Long Schuknecht 20g	12.5cm	20g

Nasal Aspirating Dissector

The flattened curved tip of this instrument makes it ideal for access and elevation in the nasal cavity. A small fenestration on both sides of the tip allows simultaneous suction



Reference	Description	Length
S146	Nasal Aspirating Dissector	12cm

Sheffield Clip

Suction with novel clip to allow attachment to a laryngoscope during endolaryngeal laser surgery

Enables effective smoke plume evacuation and is detachable in the instance of bleeding



Reference	Description	Length	Lumen
S240	Sheffield Clip	15cm	9fg

Sinus Trocar Cannula

The Sinus Trocar Cannula - also known as an antrum cannula - consists of a removable cannula over a 11.2cm trocar to allow washout of the sinuses

Trocar 16g 11.2cm
Cannula 14g 10.7cm with Luer Lock



Reference	Description
S081	Sinus Trocar Cannula


Laser Suctions

Laser suctions combine two instruments in one; a 0.9mm fibre optic laser port bonded to the suction tube allows simultaneous aspiration with cutting and coagulation

For use with 600 micron core laser fibre with 850 micron sheath







Flush Finish Laser Channel



Extended Laser Channel



Extended Angulated Laser Channel

	Description	Length	Lumen	Ref.
	Laser suction 6fg 3.5cm with Straight Flush Finish Laser Channel	3.5cm	6fg	S204
	Laser Suction 6fg 9cm with Extended Laser Channel	9cm	6fg	S110
	Laser Suction with Flush Finish	9cm	6fg	S165
		20cm	6fg	S139*
	Fairley Laser Suction 12cm with Extended Angulated Tip	12cm	6fg	S285

Rounded Suction with 4 Fenestrations

This ultra delicate suction has 4 fenestrations that are 1mm in diameter at the tip



Reference	Description	Length	Lumen
S147	Rounded Suction 12fg 9cm 4x1mm Fenestrations	9cm	12fg

Weir Suction



A suction with a flattened, semi-sharp open end to combine minor dissection with aspiration



Reference	Description	Length
S009	Weir Suction 12fg	13cm

Insulated Suctions

A range of suctions with protective insulation to allow use with diathermy



Reference	Description	Length	Lumen
S016	Insulated Transsphenoidal 9fg	15cm	9fg
S017	Insulated Transsphenoidal 6fg	15cm	6fg
S025	Insulated Frazier 9fg 9cm	9cm	9fg

Flexible Connection Tubing

Made from silicone for flexibility and resistance to kinking

Reference	Description	Includes Connector
S066	Flexible Connection Tubing 8mm 50cm	No
S099	Flexible Connection Tubing 8mm 300cm	Yes
S101	Flexible Connection Tubing 8mm 150cm	Yes



Connector

* Made to order

Diathermy Suctions

Diathermy suctions provide a clear view and a less invasive procedure as the suction and diathermy function can be used simultaneously; minimising the number of instruments in the field of vision

The diathermy also evacuates potentially harmful smoke from the surgical site

4mm pin connects to diathermy lead

Reusable diathermy leads available to purchase



Working Length	Polished Tip		Rounded Tip	Fenestrated Tip	Rounded & Fenestrated Tip
	9fg ~ 3mm	12fg ~ 4mm	9fg ~ 3mm	9fg ~3mm	9fg ~ 3mm
6 cm	S118*				
9 cm	S117		S136*		
13 cm	S116				S119
19 cm		S195			
20 cm	S115*				
22 cm				S113*	
27 cm	S114				

Transsphenoidal Diathermy Suctions



Reference	Description	Length	Lumen
S150	Diathermy Suction 9fg 23cm Transsphenoidal	23cm	9fg
S171	Diathermy Suction 9fg 18cm Transsphenoidal	18cm	9fg

Curved Suction

This suction has a smooth curvature with rounded and fenestrated tip for atraumatic and dispersed aspiration



Reference	Description	Length	Lumen
S026	Curved Suction 12fg	14cm	12fg


Cardiac Suction



Reference	Description	Length	Lumen
S268	Cardiac Suction 12fg 13cm Rounded 4x4x2mm Fenestrations	13cm	12fg

Sigmoidoscope Suction


A rigid sigmoidoscope suction without a suction control hole



Reference	Description	Length	Lumen
S043	Sigmoidoscope Suction 12fg 44cm	44cm	12fg

Poole Suction

The Poole suction has multiple holes around the sheath for dispersed suction and reduced risk of blockage. It also offers the option for finer suction with a simple bayonet twist action



Reference	Description	Length	Lumen
S010	Poole Suction	26cm (when closed)	5mm

Aspiration Tube

Atraumatic blunt ended tube with Luer Lock



Reference	Description	Length	Lumen
S112	Blunt Aspiration Tube 4mm 33cm	33cm	4mm

Aspiration Needles

Aspiration needles with a sharp bevelled tip for safe and controlled penetration when aspirating fluids from cysts and organs

Luer Lock



Reference	Description	Length
S019	Aspiration Needle 3mm 32cm	32cm
S080	Aspiration Needle 5mm 32cm	32cm

Spinal Needle

The spinal needle is suitable for discograms and the injection of inks or dyes



Reference	Description	Length	Lumen
S047	Spinal Needle 20g 165mm	165mm	20g

Spackman Cannula

Single use Spackman Cannulae that combat concerns over cleanliness with the added benefit of an easy to use self-locking clamp

For hydrotubation dye tests and uterine manipulation during laparoscopy



Fixed Acorn




Moveable Acorn



Rounded & Fenestrated Tip



Self-Locking Clamp




Reference	Description	Length	Lumen
S029	Spackman Cannula	32cm	12fg
S030	Spackman Cannula Moving Acorn	32cm	12fg


Suction Irrigator

The pistol grip suction irrigator offers an ergonomic alternative to the traditional trumpet valve suction irrigator. Two separate channels for irrigation provide a clean wash to improve visibility

- Two flows for a clean wash
- Easy to use
- Can be used with a pressure cuff
- Compatible pump available to hire/purchase



Jet flow



High flow

Reference Description

S064 (S)	Suction Irrigator (SUS Jet) 5mm 34cm
S344	Suction Irrigator (without jet flow) 3mm 24cm

Irrigation Pump

Ref.: S063


To offer you a complete solution to your suction irrigation needs, reliable and reusable peristaltic pumps are available for use with the PROFESSIONAL suction irrigator

- Quick, simple setup
- Adjustable pressure
- Easy clean surface
- Eliminates need for pressure cuff



Tibbs Cannula

The tibbs hybrid cannula combines traditional olive and cone tips



Reference	Description	Length
S044	Tibbs Cannula Set of 3	7cm

Cannula Straight



Reference	Description	Length	Lumen
S214	6fg Cannula Straight	7cm	6fg


Cannula Curved



Reference	Description	Length	Lumen
S213	6fg Cannula Curved Set of 2	7cm	6fg

Vein Hooks

A cost effective alternative to reusable equivalents. Made from high grade stainless steel they have a strong Oesch style hook which can withstand rigorous handling, yet is fine enough for insertion through small incisions



Reference Description

S090	Medium Right Hand Vein Hook (No. 2)
S106	Small Right Hand Vein Hook (No. 3)
S134	Medium Left Hand Vein Hook (No. 2)*
S135	Small Left Hand Vein Hook (No. 3)

Mosquito Forceps

Single use mosquito forceps provide convenience and consistent quality



Reference Description

S098	Mosquito Forceps Curved Set of 2
------	----------------------------------

* Made to order

Kerrisons

- Designed for single patient use to eliminate cross infection and guarantee a sharp cut
- Ergonomic hand-polished edges
- Quality & functionality matches reusables



Bite	45° Degree Upward Cutting (Delicate Use)	45° Degree Upward Cutting	90° Degree
1mm	S161	S125	
2mm	S261	S126	S367
3mm	S262	S127	S368
4mm		S137	
5mm		S138	

INDEX BY PRODUCT REFERENCE

Reference	Description	Page
6fgN100	Zoellner 6fg	6
9fgN100	Mastoid 9fg	6
6fgN140	Fine Frazier 6fg 9cm	6
9fgN140	Frazier 9fg 9cm	6
6fgF140	Fine Magill 6fg	6
9fgF140	Magill 9fg	6
S001	Fenestrated Suction 9fg 13cm	8
S002	Fenestrated Suction 6fg 9cm	8
S005	Suction 9fg 15cm	6
S007	Schuknecht 20g 6cm	17
S008	Schuknecht 24g 6cm	17
S009	Weir Suction 12fg	20
S010	Poole Suction	26
S011	Long Suction 9fg 27cm	10
S012	Sinus 9fg	16
S013	Sinus 12fg	16
S014	Rounded Frazier 9fg 9cm	7
S015	Long Suction 9fg 45cm	10
S016	Insulated Transsphenoidal 9fg	21
S017	Insulated Transsphenoidal 6fg	21
S018	Micro Neuro 18g 7cm	15
S019	Aspiration Needle 3mm 32cm	27
S020	Long Suction 6fg 27cm	10
S021	Long Suction 12fg 20cm	10
S022	Dandy Cannula 6fg	14
S023	Nerve Root Retractor Suction	14
S024	Long Suction 9fg 20cm	10
S025	Insulated Frazier 9fg 9cm	21
S026	Curved Suction 12fg	24
S029	Spackman Cannula	28
S030	Spackman Cannula Moving Acorn	28
S031	Long Suction 6fg 20cm	10
S034	Large Frazier 12fg 9cm	6
S036	Long Suction 9fg 35cm	10
S037	Rounded Fine Frazier 6fg 9cm	7
S038	Long Suction 12fg 55cm	10
S040	Sinus 9fg Small Bend	16
S041	Sinus 12fg Small Bend	16
S042	Fenestrated Suction 12fg 13cm	8
S043	Sigmoidoscope Suction 12fg 44cm	25
S044	Tibbs Cannula Set of 3	30
S046	Rounded Magill 9fg	7
S047	Spinal Needle 20g 165mm	27
S055	Fenestrated Suction 6fg 13cm	8

Reference	Description	Page
S060	Fenestrated Frazier 9fg 9cm	8
S064 (S)	Suction Irrigator (SUS Jet) 5mm 34cm	29
S066	Flexible Connection Tubing 8mm 50cm	21
S071	Fenestrated Rounded Frazier 6fg 13cm	9
S072	Schuknecht 18g 6cm	17
S074	Suction 12fg 13cm	6
S075	Fenestrated Rounded Suction 9fg 17cm	9
S076	Suction 9fg 13cm	6
S077	Suction 6fg 13cm	6
S080	Aspiration Needle 5mm 32cm	27
S081	Sinus Trocar/Cannula	18
S086	Fenestrated Suction 6fg 5cm*	8
S087	Fenestrated Suction 9fg 5cm	8
S090	Medium Right Hand Vein Hook (No. 2)	31
S091	Fenestrated Rounded Frazier 6fg 9cm	9
S092	Fenestrated Rounded Frazier 9fg 9cm	9
S093	Fenestrated Rounded Frazier 12fg 9cm	9
S094	Fenestrated Rounded Frazier 9fg 13cm	9
S095	Rounded Frazier 6fg 13cm	7
S096	Rounded Frazier 9fg 13cm	7
S098	Mosquito Forceps Curved Set of 2	31
S099	Flexible Connection Tubing 8mm 300cm	21
S101	Flexible Connection Tubing 8mm 150cm	21
S102	Rounded Frazier 6fg 7cm	7
S103	Rounded Frazier 9fg 7cm	7
S104	Rounded Frazier 12fg 9cm	7
S106	Small Right Hand Vein Hook (No. 3)	31
S109	Long Suction 12fg 40cm	10
S110	Laser Suction 6fg 9cm	19
S111	Long Suction 9fg 55cm	10
S112	Blunt Aspiration Tube 4mm 33cm	26
S113	Diathermy Suction 9fg 22cm Fenestrated	22
S114	Diathermy Suction 9fg 27cm	22
S115	Diathermy Suction 9fg 20cm*	22
S116	Diathermy Suction 9fg 13cm	22
S117	Diathermy Suction 9fg 9cm Frazier	22
S118	Diathermy Suction 9fg 6cm Mastoid*	22
S119	Diathermy Suction 9fg 13cm Fenestrated Rounded	22
S120	Fenestrated Rounded Suction 6fg 17cm	9
S125	Kerrison Punch 1mm x 200mm @45 Degrees	32
S126	Kerrison Punch 2mm x 200mm @45 Degrees	32
S127	Kerrison Punch 3mm x 200mm @45 Degrees	32
S131	Long Suction 12fg 30cm @60 Degrees	11
S132	Long Suction 12fg 50cm*	10

INDEX BY PRODUCT REFERENCE

Reference	Description	Page
S133	Rounded Suction 12fg 13cm	7
S134	Medium Left Hand Vein Hook (No. 2)*	31
S135	Small Left Hand Vein Hook (No. 3)	31
S136	Diathermy Suction 9fg 9cm Rounded*	22
S137	Kerrison Punch 4mm x 200mm @45 Degrees	32
S138	Kerrison Punch 5mm x 200mm @45 Degrees	32
S139	Long Laser Suction 6fg 20cm Flush Finish*	19
S146	Nasal Aspirating Dissector	17
S147	Rounded Suction 12fg 9cm 4x1mm Fenestrations	20
S148	Spinal Dissector Suction Flattened Tip 12fg 13cm	15
S150	Diathermy Suction 9fg 23cm Transsphenoidal	23
S156	Rounded Long Suction 6fg 20cm	10
S157	Long Schuknecht 20g 12.5cm*	17
S160	Fenestrated Suction 12fg 5cm*	8
S161	Kerrison Punch Fine 1mm x 200mm for Delicate Use*	32
S163	Sinus 12fg No Control Hole*	16
S164	Sinus 12fg Small Bend No Control Hole*	16
S165	Laser Suction 6fg 9cm Flush Finish	19
S168	Fenestrated Rounded Suction 6fg 20cm @60 Degrees	11
S169	Fenestrated Rounded Suction 9fg 20cm @60 Degrees	11
S171	Diathermy Suction 9fg 18cm Transsphenoidal	23
S176	Suction 3fg 8cm	13
S177	Suction 5fg 8cm	13
S182	Rounded Long Suction 9fg 27cm	10
S183	Rounded Long Suction 9fg 45cm	10
S184	Rounded Long Suction 12fg 55cm	10
S185	Rounded Long Suction 6fg 27cm	10
S187	Rounded Long Suction 9fg 35cm	10
S189	Teardrop Suction 9fg 9cm*	12
S190	Teardrop Suction 6fg 9cm Tapered	12
S191	Teardrop Micro Neuro 18g*	12
S192	Teardrop Suction 9fg 13cm*	12
S193	Teardrop Suction 6fg 13cm Tapered*	12
S195	Diathermy Suction 12fg 19cm	22
S199	Suction 12fg 17cm	6
S204	Laser Suction 6fg 3.5cm	19
S213	6fg Cannula Curved Set of 2	30
S214	6fg Cannula Straight	30
S228	Ball End Sinus 9fg	16
S229	Ball End Sinus 12fg	16
S230	Ball End Sinus Small Bend 9fg*	16
S231	Ball End Sinus Small Bend 12fg*	16
S236	Rounded Suction 12fg 5.5cm	7

Reference	Description	Page
S240	Suction 9fg 15cm 90° Bend with Sheffield Clip	18
S258	Long Suction 6fg 45cm	10
S261	Kerrison Punch Fine 2mm x 200mm for Delicate Use*	32
S262	Kerrison Punch Fine 3mm x 200mm for Delicate Use*	32
S265	Long Suction 15fg 20cm No Control Hole	10
S268	Cardiac Suction 12fg 13cm Rounded 4x4x2mm Fenestrations	24
S284	Rounded Long Suction 12fg 35cm	10
S285	Fairley Laser Suction 12cm with Extended Angulated Tip	19
S318	Rounded Long Suction 12fg 20cm	10
S319	Rounded Long Suction 9fg 20cm	10
S321	Soft Tip 6fg 9cm Suction	13
S329	Rounded Long Suction 12fg 40cm	10
S340	Frazier Suction 15fg 9cm	6
S343	Fenestrated Rounded Frazier 12fg 13cm	9
S344	Suction Irrigator 3mm 24cm	29
S367	Kerrison Punch 2mm x 170mm @90 Degrees	32
S368	Kerrison Punch 3mm x 170mm @90 Degrees	32
S390	Frazier Suction 15fg 13cm	5

PACKAGING SYMBOLS

Symbol	Meaning	Symbol	Meaning	Symbol	Meaning
	Batch Code		Schuknecht Suction		Spinal Dissector Suction
	Sterilized using Ethylene Oxide		Weir Suction		Nasal Elevator Suction
	Use by Date		Aspiration Needle		Dilkes Suction Rotator
	Single Use		Dandy Cannula		Spackman Cannula
	CE mark including SGS (notified body) identification number. Product conforms with the European Medical Devices Directive 93/42/EEC		Insulated Polished Tip Suction		Kerrison
	Do not use if package is damaged		Insulated Rounded Tip Suction		Ball End Suction
	Product does not contain latex		Insulated Fenestrated Tip Suction		
	Sharps Warning		Sinus Trocar		
	Polished Tip Suction		Cardiac/Poole Suction		
	Rounded Tip Suction		Nerve Root Retractor Suction		
	Polished Fenestrated Tip Suction		Laser Suction Flush Finish		
	Rounded Fenestrated Tip Suction		Laser Suction Extended		
	Soft Tip Suction		Laser Suction Extended Angulated		

MANUFACTURER

Single Use Surgical Ltd
3 Spring Hill Road
Park Springs Barnsley
S72 7BQ UK

Telephone	+44 (0)1226 732 333
Facsimile	+44 (0)1226 785 386
Email	info@susl.co.uk
Website	www.susl.co.uk

© 2015 Single Use Surgical Ltd. All Rights Reserved.



www.susl.co.uk